

# Radio remote control Bär SmartControl



Lifting Performance. Since 1981.



## Bär SmartControl – The unique wireless operating concept



What makes Bär SmartControl unique? The safety features as well as the additional functions:



Bär SmartControl fulfils the requirements for Performance Level C according to EN ISO 13849-1. In addition to the battery-powered **Bär SmartControl Plus** handheld transmitter, there is a variant with **Docking Station** with additional options:



- Automatic pairing (**EasyPairing**) when the handheld transmitter is inserted into the docking station enables personalized handheld transmitters per driver
- On departure, the docking station signals the missing handheld transmitter (lost-protection)
- Distinctive cabin feedback by radio when platform is not in driving position
- Inductive charging of the handheld transmitter while driving







Manoeuvring with the truck and Standard Cargolift at the ramp requires extensive practice – or the Bär SmartControl CabinControl. Together with two rear drive cameras and a monitor in the cabin, you can operate and bring the Cargolift perfectly into position – if desired with orientation lines on the monitor (patented).

In addition, the Bär SmartControl CabinControl is a **combined cab and radio remote control**. The Bär SmartControl Plus handheld transmitter can therefore also be used as a radio remote control – see reverse side.




The Bär SmartControl CabinControl offers you when used with Bär Cargolift Standard S4...



...**QuickShift** function as standard for simultaneous opening and lowering of the platform directly after switching on.





Following QuickShift, an **automatic stop** is possible for driving underneath the ramp.



**Orientation lines** on the monitor make it easier to place the platform on the ramp.

The Bär SmartControl CabinControl consists of:



Bär SmartControl Plus with docking station, two rear view cameras at the rear of the vehicle and a split screen monitor in the driver's cab. The rear view camera system with monitor is not part of the scope of delivery of CabinControl.

The Bär SmartControl CabinControl system saves time and nerves by enabling Cargolift operation from the cab with full visibility – so that logistics processes can run without interruption and the weather doesn't matter!

## Bär SmartControl Basic – The easy and at the same time safe operation by radio

In 2012 Bär Cargolift presents the Bär SmartControl operating concept for the first time – at that time for operating the Cargolift via iPhone app. Two years later, the innovative operating concept gets a practical end device: The robust Bär SmartControl remote control. Another two years later, the remote control is further developed into a cab control.

But „further development“ does not always lead to „even more functionality“ – it can also lead to concentration on the essentials. That is why Bär Cargolift now presents the simplest and at the same time CE-compliant radio remote control for tail lifts: **Bär SmartControl Basic**.



**Bär SmartControl Basic** uses from the previous operating concept:

- the close-up area detection,
- the key recess for using the SingleClick function and
- the AutoStop45° function when closing the platform.

Operation is very simple: log on to the Cargolift by clicking on a yellow button in the close-up area; use the Lower and Raise buttons together with Tilt to open and close; log off by pressing the STOP button.

Bär SmartControl Basic is available for Bär VanLift, Bär Cargolift Standard and Bär Cargolift Falt.